

Fax Form for Survey Sample US_2021_04

Participant Name: _____

Lab Client Code: _____

Country: _____

Please use this fax form for data submission only if you cannot submit the data online (<https://teqa.esfeqa.eu>).

Deadline for Data Submission: 02/11/2021

Program	Analyte	Reagent- Key	US_2021_04_a Result	US_2021_04_b Result
US	Bilirubin		<input type="checkbox"/> negative <input type="checkbox"/> 17 – 50 µmol/l (1 – 3 mg/dl) <input type="checkbox"/> 51 – 100 µmol/l (3,1 – 6 mg/dl) <input type="checkbox"/> > 100 µmol/l (> 6 mg/dl)	<input type="checkbox"/> negative <input type="checkbox"/> 17 – 50 µmol/l (1 – 3 mg/dl) <input type="checkbox"/> 51 – 100 µmol/l (3,1 – 6 mg/dl) <input type="checkbox"/> > 100 µmol/l (> 6 mg/dl)
US	Glucose		<input type="checkbox"/> negative <input type="checkbox"/> 100 – 250 mg/dl (5,6 – 14 mmol/l) <input type="checkbox"/> 251 - 500 mg/dl (14,1 – 28 mmol/l) <input type="checkbox"/> 501 - 1000 mg/dl (29 – 56 mmol/l) <input type="checkbox"/> > 1000 mg/dl (56 mmol/l)	<input type="checkbox"/> negative <input type="checkbox"/> 100 – 250 mg/dl (5,6 – 14 mmol/l) <input type="checkbox"/> 251 - 500 mg/dl (14,1 – 28 mmol/l) <input type="checkbox"/> 501 - 1000 mg/dl (29 – 56 mmol/l) <input type="checkbox"/> > 1000 mg/dl (56 mmol/l)
US	hCG		<input type="checkbox"/> negative <input type="checkbox"/> borderline <input type="checkbox"/> positive	<input type="checkbox"/> negative <input type="checkbox"/> borderline <input type="checkbox"/> positive
US	Blood/ Erythrocytes/ Hemoglobin		<input type="checkbox"/> negative <input type="checkbox"/> 10 – 25 Ery/µl <input type="checkbox"/> 26 – 80 Ery/µl <input type="checkbox"/> 81 – 200 Ery/µl <input type="checkbox"/> > 200 Ery/µl	<input type="checkbox"/> negative <input type="checkbox"/> 10 – 25 Ery/µl <input type="checkbox"/> 26 – 80 Ery/µl <input type="checkbox"/> 81 – 200 Ery/µl <input type="checkbox"/> > 200 Ery/µl

Program	Analyte	Reagent- Key	US_2021_04_a Result	US_2021_04_b Result
US	Ketone Bodies		<input type="checkbox"/> negative <input type="checkbox"/> 0,5 - 1,5 mmol/l (5 – 15 mg/dl) <input type="checkbox"/> 1,6 - 4,0 mmol/l (16 – 40 mg/dl) <input type="checkbox"/> 4,1 - 8,0 mmol/l (41 – 80 mg/dl) <input type="checkbox"/> >8,0 mmol/l (> 80 mg/dl)	<input type="checkbox"/> negative <input type="checkbox"/> 0,5 - 1,5 mmol/l (5 – 15 mg/dl) <input type="checkbox"/> 1,6 - 4,0 mmol/l (16 – 40 mg/dl) <input type="checkbox"/> 4,1 - 8,0 mmol/l (41 – 80 mg/dl) <input type="checkbox"/> >8,0 mmol/l (> 80 mg/dl)
US	Leucocytes		<input type="checkbox"/> negative <input type="checkbox"/> 15 – 70 Leu/μl <input type="checkbox"/> 71 – 125 Leu/μl <input type="checkbox"/> 126 – 500 Leu/μl <input type="checkbox"/> > 500 Leu/μl	<input type="checkbox"/> negative <input type="checkbox"/> 15 – 70 Leu/μl <input type="checkbox"/> 71 – 125 Leu/μl <input type="checkbox"/> 126 – 500 Leu/μl <input type="checkbox"/> > 500 Leu/μl
US	Nitrite		<input type="checkbox"/> negative <input type="checkbox"/> positive	<input type="checkbox"/> negative <input type="checkbox"/> positive
US	pH		<input type="checkbox"/> 5,0 <input type="checkbox"/> 5,5 <input type="checkbox"/> 6,0 <input type="checkbox"/> 6,5 <input type="checkbox"/> 7,0 <input type="checkbox"/> 7,5 <input type="checkbox"/> 8,0 <input type="checkbox"/> ≥8,5	<input type="checkbox"/> 5,0 <input type="checkbox"/> 5,5 <input type="checkbox"/> 6,0 <input type="checkbox"/> 6,5 <input type="checkbox"/> 7,0 <input type="checkbox"/> 7,5 <input type="checkbox"/> 8,0 <input type="checkbox"/> ≥8,5
US	Protein, total		<input type="checkbox"/> negative <input type="checkbox"/> < 0,3 g/l (30 mg/dl) <input type="checkbox"/> 0,3 – 1,0 g/l (30 – 100 mg/dl) <input type="checkbox"/> 1,1 – 3,0 g/l (101 – 300 mg/dl) <input type="checkbox"/> 3,1 – 20,0 g/l (301 – 2000 mg/dl) <input type="checkbox"/> > 20,0 g/l (>2000 mg/dl)	<input type="checkbox"/> negative <input type="checkbox"/> < 0,3 g/l (30 mg/dl) <input type="checkbox"/> 0,3 – 1,0 g/l (30 – 100 mg/dl) <input type="checkbox"/> 1,1 – 3,0 g/l (101 – 300 mg/dl) <input type="checkbox"/> 3,1 – 20,0 g/l (301 – 2000 mg/dl) <input type="checkbox"/> > 20,0 g/l (>2000 mg/dl)

Program	Analyte	Reagent- Key	US_2021_04_a Result	US_2021_04_b Result
US	Specific Gravity		<input type="checkbox"/> 1,000 <input type="checkbox"/> 1,005 <input type="checkbox"/> 1,010 <input type="checkbox"/> 1,015 <input type="checkbox"/> 1,020 <input type="checkbox"/> 1,025 <input type="checkbox"/> 1,030	<input type="checkbox"/> 1,000 <input type="checkbox"/> 1,005 <input type="checkbox"/> 1,010 <input type="checkbox"/> 1,015 <input type="checkbox"/> 1,020 <input type="checkbox"/> 1,025 <input type="checkbox"/> 1,030
US	Urobilinogen		<input type="checkbox"/> < 30 µmol/l (<2 mg/dl) <input type="checkbox"/> 30 – 70 µmol/l (2 – 4 mg/dl) <input type="checkbox"/> 71 – 140 µmol/l (4,1 - 8 mg/dl) <input type="checkbox"/> > 140 µmol/l (<8 mg/dl)	<input type="checkbox"/> < 30 µmol/l (<2 mg/dl) <input type="checkbox"/> 30 – 70 µmol/l (2 – 4 mg/dl) <input type="checkbox"/> 71 – 140 µmol/l (4,1 - 8 mg/dl) <input type="checkbox"/> > 140 µmol/l (<8 mg/dl)

Stamp/Signature

Date

Please send the filled form to ESfEQA by Fax (+49 6221 894669-90) or by E-Mail (info@esfeqa.eu)