

Program	Analyte	Reagent	Method	Instrument	a Result	b Result
USEDM2	WBCs – semi- quantitative particles/HPF				<input type="checkbox"/> none <input type="checkbox"/> 1 – <5 particles/HPF <input type="checkbox"/> 5 – <10 particles/HPF <input type="checkbox"/> 10 – 20 particles/HPF <input type="checkbox"/> 21 – 50 particles/HPF <input type="checkbox"/> 51 – 100 particles/HPF <input type="checkbox"/> > 100 particles/HPF	<input type="checkbox"/> none <input type="checkbox"/> 1 – <5 particles/HPF <input type="checkbox"/> 5 – <10 particles/HPF <input type="checkbox"/> 10 – 20 particles/HPF <input type="checkbox"/> 21 – 50 particles/HPF <input type="checkbox"/> 51 – 100 particles/HPF <input type="checkbox"/> > 100 particles/HPF
USEDM2	WBCs – semi- quantitative particles/ μ L				<input type="checkbox"/> none <input type="checkbox"/> 1 – <15 particles/ μ L <input type="checkbox"/> 15 – 29 particles/ μ L <input type="checkbox"/> 30 – 49 particles/ μ L <input type="checkbox"/> 50 – 99 particles/ μ L <input type="checkbox"/> 100 – 199 particles/ μ L <input type="checkbox"/> > 200 particles/ μ L	<input type="checkbox"/> none <input type="checkbox"/> 1 – <15 particles/ μ L <input type="checkbox"/> 15 – 29 particles/ μ L <input type="checkbox"/> 30 – 49 particles/ μ L <input type="checkbox"/> 50 – 99 particles/ μ L <input type="checkbox"/> 100 – 199 particles/ μ L <input type="checkbox"/> > 200 particles/ μ L

Quantitative Results:

Program	Analyte	Method	Reagent	Instrument	Unit	a Result	b Result
USEDM2	Bacteria particles/HPF				particles/HPF		
USEDM2	Bacteria particles/ μ l				particles/ μ L		
USEDM2	Casts particles/LPF				particles/LPF		
USEDM2	Casts particles/ μ L				particles/ μ L		
USEDM2	Crystals particles/HPF				particles/HPF		
USEDM2	Crystals particles/ μ L				particles/ μ L		
USEDM2	RBCs particles/HPF				particles/HPF		
USEDM2	RBCs particles/ μ L				particles/ μ L		
USEDM2	WBCs particles/HPF				particles/HPF		
USEDM2	WBCs particles/ μ L				particles/ μ L		

Stamp/Signature

Date

By signing this form, you confirm that the results you have indicated have been obtained in your organization (e.g. laboratory, hospital etc.)

Please send the filled form to ESfEQA by Fax (+49 6221 4166-790) or by E-Mail (surveys@esfeqa.eu)